



STRIP CURTAIN

INEXPENSIVE CLOSURE STRIP CURTAIN
WITH GOOD INSULATING PROPERTIES



WWW.ITW-TORSYSTEME.DE

PRODUCT DESCRIPTION

STRIP CURTAIN

The PVC-strips are attached by a patented synthetic clip system to a 1" galvanized thick-walled tube. The single strips are permanently rivetted to the clip and can be swivelled up to a 180° angle on the tube. Each PVC-strip may be exchanged without removing the retaining element.

GUIDE RAIL

Thick-walled 1" tube (galvanized)

STRIP QUALITY

- Normal quality
- Freezer quality to -30° C
- Welding protection material
- Antistatic material

FITTING

- Fixed in front of lintel
- Movable one-piece/multi-piece, in front of or under the lintel
- Movable 90° round the corner
- Specially developed version for refrigerator- or freezer vehicles (fixed or with sliding device)

VERSIONS

200 mm x 2 mm
Interior 2.500 mm
Exterior -

300 mm x 3 mm
Interior 4.000 mm
Exterior 4.000 mm

400 mm x 4 mm
Interior 6.000 mm
Exterior 5.000 mm



SCOPE OF APPLICATION



INDUSTRY



TRANSPORT



LOGISTICS



CLEAN ROOM



FREEZER



SUPERMARKET



FOOD



THE ADVANTAGES AT A GLANCE

- Perfect for sealing steel sliding gates and crane runways
- Special insulation and noise protection properties
- Protects machinery and equipment from dust and chips
- Provides good protection in welding systems
- Warehouses are protected from the ingress of rain and moisture
- Full passage width and height are retained
- Patented plastic clip system
- High safety due to deburred, rounded lamellae
- Special lamella design for deep-freezing up to -30°C or welding protection



BRO-STRIPS-CURTAIN-EN01 | RESERVE TECHNICAL CHANGES

ITW Industrietore GmbH

Adolf-Kolping-Straße 14

73072 Donzdorf

Germany

Fon +49 7162 9129-60

Fax +49 7162 9129-64

info@itw-torsysteme.de

www.itw-torsysteme.de

