

FAST, LOW NOISE AND FOR

AREAS WITH STRONG DRAFTS







## **ADVANTAGES** AT A GLANCE



Opening speed up to 2.0 m/s



Door size up to 6.0 m x 6.0 m



Resistance to wind load up to class 3



Permanent curtain tension



Wide range of colors



Atex



V2A




Deep freeze



Fly screen

# **SPECIAL FEATURES**



# THE ALL-ROUNDER FOR EVERY OPENING

The Transspeed can be used for additional hall closure or as an interior door. The Transspeed is a high-quality solution for any building opening that is passed through very frequently by forklifts or floor vehicles.

Different curtain designs can be used to meet a wide range of requirements. The permanent curtain tensioning system keeps the door leaf under tension at all times during opening and closing.

The optionally available tension spring system for weight compensation rounds off the system and offers fast emergency opening (Transspeed BSGA/GA).








Anti-Crash-System



Curtain tension



Light grid



Bale and drive cover

### **TECHNICAL DATA**

- Opening speed up to 2.0 m/s
- Closing speed up to 0.8 m/s
- Door sizes up to 6.0 m height and 6.0 m width
- DR2100 microprocessor control system with main switch and integrated frequency converter
- 230 V/50Hz, IP54 Operator
- Required lintel height min. 447 mm
- Curtain available in various colors or fully printed with a motif of your choice

#### **SAFETY**

- Access protection by means of all-round cladding
- Passage monitoring by means of contactless light grid
- Anti-crash function automatic reset (optional)
- Emergency opening by hand crank or reel chain
- Signal lights and traffic light control (optional)



**SPIRAL DOORS** 



**FOLDING DOORS** 



HORIZONTAL HIGH-SPEED DOORS



VERTIKAL HIGH-SPEED DOORS



**SWING DOORS** 



STRIP CURTAINS



**MACHINE PROTECTION DOORS** 



**SECTIONAL DOORS** 



STEEL / ALUMINUM ROLLER DOORS

#### SCOPE OF APPLICATION





















**INDUSTRY** 

**TRANSPORT** 

**LOGISTICS** 

AUTOMOTIVE M. PROTECTIONS CLEAN ROOM SUPERMARKET

FOOD

**COOLING AREA** 

**ATEX** 

**ITW Industrietore GmbH** Adolf-Kolping-Straße 14 73072 Donzdorf

Germany

Tel. +49 7162 9129-60 Fax +49 7162 9129-64 info@itw-torsysteme.de www.itw-torsysteme.de

